

## STEEL SHELL & WOOD SHELL



T-390  
Painted



T-390  
Galvanized



T-385  
Painted



T-385  
Galvanized

- New style blocks feature higher working load limits.
- Painted or Galvanized steel with replaceable wood bumpers.
- Side plate opens for insertion of wire rope.
- Incorporates exclusive bolt retaining spring to assure no lost bolts, plus utilizes secondary retaining pin.
- Bronze bushed sheaves with large bearing diameter for extended block life.
- Utilizes Crosby "N" style hooks with integrated latch.
- Lubricated center pin.
- 10" and 12" sizes utilize steel sheaves.
- Meets or exceeds all requirements of ASME B30.26. Importantly, these blocks meet other critical performance requirements including fatigue life, impact properties and material traceability, not addressed by ASME B30.26.

APPLICATION AND WARNING INFORMATION  
SECTION 17

### 385B, 390B Blocks

Block Size (in)	Fitting	Wood Shell		Steel Shell	
		385-B Stock No. S.C.	385-B Stock No. Galv.	390-B Stock No. S.C.	390-B Stock No. Galv.
6	T	702000	702108	702216	702324
8	T	702009	702117	702225	702333
10	T	702018	702126	702234	702342
12	T	702027	702135	702243	702351
6	J	702036	702144	702252	702360
8	J	702045	702153	702261	702369
10	J	702054	702162	702270	702378
12	J	702063	702171	702279	702387
6	G	702072	702180	702288	702396
8	G	702081	702189	702297	702405
10	G	702090	702198	702306	702414
12	G	702099	702207	702315	702423

### 385B, 390B Blocks

Sheave Diameter	Manila Rope Size (in)	Working Load Limit (Tons)	Weight Each (lb)
3.00	3/4 - 7/8	2	7
4.00	1 - 1-1/8	4	13
6.00	1-1/4	8	28
8.00	1-1/2	8	34

4:1 Design Factor